




SAP BW/4HANA Role – Sync

SCENARIO VERSION 24.2

SETTINGS VARIANT SCE ROLE DOCU

COMMENT VARIANT SCE ROLE COMMENTS

RESPONSIBLE PERSON ALEXANDER DÜRRSTEIN

CREATION DATE 06.01.2025

Role Z_ROLE_PS_SYNC_BW4, Client 001

Table of contents

1	Docu Performer General Settings.....	1
2	Comment: Z_ROLE_PS_SYNC_BW4/001 - Role for SAP BW4HANA Synchronization (PS).....	2
2.1	Objective	2
3	General Information	2
4	Role menu	2
5	Authorization data.....	2
5.1	AAAB - Cross-application Authorization Objects	2
5.2	BC_A - Basis: Administration	2

1 Docu Performer General Settings

Performer Suite Settings

Settings Variant	SCE Role Docu
Comment Variant	SCE Role Comments
Word Template	20220318_EN_Performer_Suite_Scenario_Template.dotx

2 Comment: Z_ROLE_PS_SYNC_BW4/001 - Role for SAP BW4HANA Synchronization (PS)

2.1 Objective

The authorizations of this role are needed to synchronize meta data of your SAP BW/4HANA system with the Performer Suite database.

Also, please create a new dedicated SAP-User which has this role to be able to synchronize with our **AutomationTool**.

Keep in mind, the role must also have the correct Function Modules and Function Group authorizations (depending on your prefix used).

3 General Information

System	A4H
Role	Z_ROLE_PS_SYNC_BW4/001, Role for SAP BW4HANA Synchronization (PS)
Derived from Role	-
Related Single Roles	-
Profile name	T-AH320003
Profile text	Profile for role Z_ROLE_PS_SYNC_BW4
Status	Authorization profile is generated
Last changed by	ADUERRSTEIN
Last change (timestamp)	15/04/2024 08:46:04
Timestamp of documentation	03/01/2025 16:47:26

4 Role menu

The role has no menu.

5 Authorization data

5.1 AAAB - Cross-application Authorization Objects

 S RFC - Authorization Check for RFC Access [T-AH32000300]

Authorizations field	Values
ACTVT	16 Execute
RFC_NAME	BDL_GET_GREENWICH_TIME, DDIF_FIELDINFO_GET, DDIF_NAMETAB_GET, RFC_GET_FUNCTION_INTERFACE, RFC_GET_NAMETAB, RFC_READ_TABLE, RFC_SYSTEM_INFO, RFCPING, SYSTEM_REMOTE_LOGIN, VIEW_AUTHORITY_CHECK, Z RFC_GET_STRING
RFC_TYPE	FUNC

5.2 BC_A - Basis: Administration

 S_TABU_DIS - Table Maintenance (using standard tools such as SM30) [T-AH32000300]

Authorizations field	Values
ACTVT	03 Show
DICBERCLS	BWC, FB00, SA, SC, SPFL, SS, STRW, TDBLST, TCESYST

 S_TABU_NAM - Table Access by Generic Standard Tools [T-AH32000300]

Authorizations field	Values
ACTVT	03 Show
TABLE	ACMDCLSRC, ACMDCLSRCT, AGR_1016, AGR_1250, AGR_1251, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD07T, DDDDLSRC, DDDDLSRC02BT, DDLDEPENDENCY, DEVACCESS, E07T, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, REPOSRC, RODELTAMT, RSAABAP, RSAOOBJ, RSAOOBJT, RSAOOBJXREF, RSAROUTT, RSBASIDOC, RSBKDTP, RSBKDTPPT, RSBOHDEST, RSBOHDESTT, RSBSPOKE, RSBSPOKEFIELDS, RSBSPOKESELSET, RSBSPOKET, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDBCHATR, RSDBCHATRXXL, RSDIOBJ, RSDIOBJT, RSDIOBJV, RSDKYF, RSDS, RSDST, RSDSTS, RSDVCHA, RSDVTIM, RSDVUNI, RSECBAU, RSECBAUPROP, RSECHIE, RSECHIE_STRING, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPSEMANTICS, RSFBPSOURCE, RSFBPT, RSFOBUEV001, RSHIEDIR, RSIS, RSIST, RSKSFIELDNEW, RSKSNEW, RSKSNEWT, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPRT, RSOLTPSOURCET, RSOSEGR, RSOSEGR, RSPCCHAINATTR, RSPCCHAIT, RSPCLOGCHAIN, RSPCVARIANT, RSPLF_SRV, RSPLF_SRV, RSPLS_ALVL, RSPLS_ALVL_IJOB, RSPLS_ALVLT, RSPLS_SEQUENCE, RSPLS_SEQUENCE_S, RSPLS_SEQUENCET, RSRRENDERERV, RSTRAN, RSTRANT, RSZCOMPDIR, RSZELTTXT, RSZGLOBV, SEOCCLASS, SEOCCLASSDF, SEOCCLASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, T000, T002XT, TADIR, TDBLST, TCESYST, TMDIR, TRDIR, TRDIRT, USER_ADDRP, V_CMP_JOIN, V_COMPDIR_COMPIC, V_COMPDIR_ELTDIR, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WBCROSSGT, WDY_COMPONENT, WDY_COMPONENTT