




SAP BW/4HANA Role – Translation

SCENARIO VERSION	25.1
SETTINGS VARIANT	SCE ROLE DOCU
COMMENT VARIANT	SCE ROLE COMMENTS
RESPONSIBLE PERSON	ALEXANDER LUDWIG
CREATION DATE	16.12.2025

Role Z_ROLE_TRANSLATION_STEWARD, Client 001

Table of contents

1	Docu Performer General Settings	2
2	General Information	2
3	Role menu	2
4	Authorization data	2
4.1	AAAA - Obsolete Authorization Objects	2
4.2	AAAB - Cross-application Authorization Objects	3
4.3	BC_A - Basis: Administration	3
4.4	BC_C - Basis - Development Environment	5
4.5	RS - SAP BW/4HANA	5

1 Docu Performer General Settings

Performer Suite Settings	
Settings Variant	SCE Role Docu
Comment Variant	SCE Role Comments
Word Template	20220318_EN_Performer_Suite_Scenario_Template.dotx

2 General Information

System	A4H
Role	Z_ROLE_TRANSLATION_STEWARD/001, Role for using Translation Steward
Derived from Role	-
Related Single Roles	-
Profile name	
Profile text	
Status	
Last Changed By	ADUERRSTEIN
Last change (timestamp)	08.03.2021 11:52:21
Timestamp of documentation	16.12.2025 13:39:07

3 Role menu

The role has no menu.

4 Authorization data

4.1 AAAA - Obsolete Authorization Objects

 S_RS_HYBR - Data Warehousing Workbench - HybridProvider [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
RSHYBROBJ	DEFINITION
RSHYBRPROV	*

 S_RS_ICUBE - Data Warehousing Workbench - InfoCube [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSICUBE OBJ	*
RSINFOAREA	*
RSINFOCUBE	*

 S_RS_IOBJ - Data Warehousing Workbench - InfoObject (InfoObject Catalog) [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSIOBJ	*
RSIOBJCAT	*
RSIOBJPART	*

S_RS_MPRO - Data Warehousing Workbench - MultiProvider [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
RSINFOAREA	*
RSMPRO	*
RSMPROOBJ	DATA, DEFINITION, EXPORTDS

 S_RS_ODSO - Data Warehousing Workbench - DataStore Object [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSINFOAREA	*
RSODSOBJ	*
RSODSPART	*

4.2 AAAB - Cross-application Authorization Objects

 S RFC - Authorization Check for RFC Access [T-AH32001000]

Authorizations field	Values
ACTVT	16 Execute
RFC_NAME	AUTHORITY_CHECK, BAPI_CUBE_GETDETAIL, BAPI_IOBC_GETDETAIL, BAPI_IOBC_GETLIST, BAPI_IOBJ_ACTIVATE_MULTIPLE, BAPI_IOBJ_GETDETAIL, BAPI_IOBJ_GETLIST, BAPI_IPAK_GETDETAIL, BAPI_IPAK_GETLIST, BAPI_ISET_GETDETAIL, BAPI_ISOURCE_TD_GETDETAIL, BAPI_MPRO_GETDETAIL, BAPI_ODSO_GETDETAIL, BAPI_ODSO_GETLIST, BDL_GET_GREENWICH_TIME, BDL5, BX_AGR_READ_ALL_NODES, DDIF_FIELDINFO_GET, EM_GET_NUMBER_OF_ENTRIES, FUNCTION_EXISTS, FUNCTION_IMPORT_INTERFACE, GET_TABLE_INFO_ORA, ME_GET_CURRENT_USER_ID, MSS_GET_TABLE_SIZE_INFO, RFC_GET_FUNCTION_INTERFACE, RFC_GET_NAMETAB, RFC_GET_SYSTEM_INFO, RFC_READ_TABLE, RFC_SYSTEM_INFO, RFC1, RFCPING, RPY_INCLUDE_UPDATE, RPY_PROGRAM_READ, RS_VARIANT_CONTENTS RFC, RSAB, RSDG_HYBR_GETDETAIL, RSNDI_IOBJ_INFO_GET, RSOBJS_GET_NODES_X, RSPC_API_PROCESS_GET_INFO, RSPC_RUNTIME_ANALYSIS, RSPLS_ALVL_GETDETAIL, RSPLSIP_INFOPROV_GETDETAIL, RSSEM_WEBTEMPLATE_INFO_GET, RSZ_SEM_QUERY_TEXT_GET, RSZ_X_COMPONENT_GET, RSZ_X_INFO_OBJECTS_GET, RSZ_X_QUERY_CHECK, RSZ_X_QUERY_GET, RSZ_X_WHERE_USED_LIST_GET, SDIFRUNTIME, SDTX, SYST, USER_NAME_GET, Z_DP, Z_RFC_ADSO_GETDTL_XML, Z_RFC_AUTH_CHECK, Z_RFC_CHECK_ACT_TR, Z_RFC_CODESCAN, Z_RFC_ENTITY_SYNC, Z_RFC_GET_DTP_DETAILS, Z_RFC_GET_STRING, Z_RFC_READ_REPORT, Z_RFC_USAGE_ANALYSIS
RFC_TYPE	FUGR, FUNC

4.3 BC_A - Basis: Administration

 S TABU DIS - Table Maintenance (using standard tools such as SM30) [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
DICBERCLS	ADRP, AGR_1016, AGR_1250, AGR_1251, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD03ND, DD04T, DD07T, DD08B, DD09L, DD10B, DD25L, DD26S, DD27S, DD28S, DDDDLSRC, DDDDLSRC02BT, DDDDLSRCT, DDFIELDANNO, DDLDEPENDENCY, DDPARAMETERANN, DEVACCESS, DOKTL, E070, E070V, E071, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, ROOSOOURCE, RSAABAP, RSANT_PROCESS, RSANT_PROCESSI, RSANT_PROCESST, RSAOOBJ, RSAOOBJT, RSAOOBJXREF, RSAPPL, RSAPPLT, RSAROUTT, RSBASIDOC, RSBATCHPARALLE, RSBDBTAB, RSBFILE, RSBKDTP, RSBKDTPSTAT, RSBKDTPPT, RSBOHDEST, RSBOHDESTT, RSBOHDESTVAR, RSBOHFIELDS, RSBPOKE, RSBPOKEFIELDS, RSBPOKESELSET, RSBPOKET, RSCOMPTLOGOT, RSCURTRT,

Authorizations field	Values
	RSCURTXT, RSDADAP, RSDADAPDOK, RSDADAPLOC, RSDADAPSEL, RSDADAPT, RSDAREA, RSDAREAT, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDBCHATR, RSDCHA, RSDCHABAS, RSDCUBE, RSDCUBEIOBJ, RSDCUBEMULTI, RSDCUBET, RSDDIME, RSDDIMET, RSDDPA, RSDFDMOD, RSDFDMODT, RSDICHAPRO, RSDICMULTIOBJ, RSDICVALIOBJ, RSDIKYFPRO, RSDIOBC, RSDIOBCIOBJ, RSDIOBCT, RSDIOBJ, RSDIOBJCMP, RSDIOBJT, RSDIPROIOBJT, RSDIPROV_MAPPI, RSDKYF, RSDODSO, RSDODSOATRNAV, RSDODSOINDEX, RSDODSOIOBJ, RSDODSOIOBJIND, RSDODSOIOBJPRO, RSDODSOLOC, RSDODSOT, RSDS, RSDSACCESSATTR, RSDSACCESSTYPE, RSDSEXTOBJ, RSDSSEGF, RSDSSEGFDT, RSDSSEGT, RSDST, RSDSTS, RSDTIM, RSDUNI, RSDVCHA, RSDVTIM, RSDVUNI, RSECBAU, RSECBAUPROP, RSECHIE, RSECHIE_STRING, RSECTXT, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPFIELD, RSFBPSOURCE, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSISFIELD, RSISOSMAP, RSIST, RSKSFIELDNEW, RSKSFIELDNEWT, RSKSNEW, RSKSNEWT, RSLDPIO, RSLDPIOT, RSLDPRULE, RSLDPSEL, RSLPO, RSLPOCOMPTXT, RSLPOPATRANGE, RSLPOT, RSLTIP, RSLTIPT, RSMDATASTATE, RSNSPACE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPRPT, RSOLTPSOURCE, RSOLTPSOURCEFI, RSOLTPSOURCECT, RSOBJXREF, RSESEGR, RSOSFIELDMAP, RSOTLOGOHISTOR, RSPCCHAIN, RSPCCHAINATTR, RSPCCHAININT, RSPCLOGCHAIN, RSPCTRIGGER, RSPCVARIANT, RSPCVARIANTT, RSPLF_SRV, RSPLF_SRV_COND, RSPLF_SRV_CU, RSPLF_SRV_P, RSPLF_SRV_PS, RSPLF_SRVT, RSPLF_SRVTYPE, RSPLF_SRVTYPE, RSPLS_ALVL, RSPLS_ALVL_IOB, RSPLS_ALVL, RSPLS_CR_PROP, RSPLS_CR_RANGE, RSPLS_CR_ROLE, RSPLS_CR_STEPS, RSPLS_DS, RSPLS_DS_FIELD, RSPLS_DS_RANGE, RSPLS_DST, RSPLS_SEQUENCE, RSPROCESSTYPES, RSPSPACE, RSQFOBJ, RSQFOBJT, RSQISSET, RSQISSETT, RSQTOBJ, RSRRENDERERV, RSRREPTDIR, RSRWBINDEX, RSRWBINDEXT, RSRWORKBOOK, RSSDBATCH, RSTRAN, RSTRANFIELD, RSTRANFIELDPRO, RSTRANGROUPT, RSTRANROUTMAP, RSTRANRULE, RSTRANRULESTEP, RSTRANRULET, RSTRANSTEPADSO, RSTRANSTEPCNST, RSTRANSTEPMAP, RSTRANSTEPMAST, RSTRANSTEPPODSO, RSTRANSTEPROUT, RSTRANSTEPUNIT, RSTRANT, RSTS, RSTSODS, RSTRULES, RSUOMT, RSUPDDAT, RSUPDINFO, RSUPDKEY, RSUPDROUT, RSZCALC, RSZCOMPTDIR, RSZCOMPTIC, RSZELTDIR, RSZELTPROP, RSZELTTXT, RSZELTXREF, RSZGLOBV, RSZRANGE, RSZSELECT, RSZWBITMHEADTX, RSZWBTMPHEAD, RSZWBTMPHEADTX, RSZWBTMPXREF, RSZWOBJTXT, RSZWOBJXREF, RSZWTEMPLATE, RSZWTEMPLATEDA, RSZWVIEW, SEOCCLASS, SEOCCLASSDF, SEOCCLASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, SEOREDEF, SMIMLOIO, SVERS, T002, T002C, T002T, T002TX, T002XT, T006, T006A, TADIR, TBTCO, TBTCP, TCURC, TCURR, TCURT, TCURV, TCURW, TDDAT, TFDIR, TFTIT, TLIBG, TMDIR, TOBCT, TOBJ, TOBJT, TRDIR, TRDIRT, UCF001C, UCF001G, UCF001T, UCF002T, UCF005T, UCF2110, UCF211T, UCF220C, UCF220T, UCF221T, UCF222T, UCF223T, UCF224C, UCF224T, UCF700T, UCF7100, UCF7300, UCF7400, UCF7410, UCF7500, UCFE01C, UCFE01T, UCFT000, UCFT001, UCFT002, UCFV000, UCM003C, UCM003T, UCS000T, UCS0100, UCS0101, UCS0104, UCS0105, UCS0106, UCS0107, UCS0108, UCS0109, UCS010C, UCS010S, UCS010T, UCS01A0, UCS01A2, UCT2010, UCT3000, UCT4000, UGMD2006, UGMD300C, UGMD300T, URL_EXTXT, USER_ADDRP, USR01, USR21, V_COMPTDIR_COMP, V_COMPTDIR_ELTD, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WDY_APP_PROP_D, WDY_APP_PROPER, WDY_APPLICATION, WDY_CHIP_DEF, WDY_CHIP_DEFT, WDY_CHIP_PARAM, WDY_CHIP_PORT, WDY_CHIP_PORRT, WDY_CHIP_TAG, WDY_COMPO_USAG, WDY_COMPONENT, WDY_COMPONENTT, WDY_CONFIG_DAT, WDY_CONTROLLER, WDY_CTLR_COMPO, WDY_CTLR_EXC, WDY_CTLR_EXCT, WDY_CTLR_PARAM, WDY_CTLR_USAGE, WDY_CTX_ATTRIB, WDY_CTX_NODE, WDY_INTF_IMPLE, WDY_IOBOUND_PL, WDY_PLUG_PARAM, WDY_VIEW

 S_TABU_NAM - Table Access by Generic Standard Tools [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
TABLE	ACMDCLSRC, ACMDCLSRCT, ADRP, AGR_1016, AGR_1250, AGR_1251, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD03ND, DD03T, DD04T, DD07T, DD08B, DD09L, DD10B, DD25L, DD26S, DD27M, DD27S, DD28S, DDDDLSRC, DDDDLSRC02BT, DDDDLSRCT, DDFIELDANNO, DDLDEPENDENCY, DDPARAMETERANNO, DEVACCESS, DOKTL, E070, E070V, E071, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, ROOSOURCE, RSAABAP, RSANT_PROCESS, RSANT_PROCESSI, RSANT_PROCESSST, RSAOOBJ, RSAOOBJT, RSAOOBJXREF, RSAPPL, RSAPPLT, RSAROUTT, RSBASIDOC, RSBATCHPARALLEL, RSBDBTAB, RSBFILE, RSBKDTP, RSBKDTPSTAT, RSBKDTPPT, RSBOHDEST, RSBOHDESTT, RSBOHDESTVAR, RSBOHFIELDS, RSBSPOKE, RSBSPOKEFIELDS, RSBSPOKESELSET, RSBSPOKET, RSCOMPTLOGOT, RSCURTRT, RSCURTXT, RSDADAP, RSDADAPDOK, RSDADAPLOC, RSDADAPSEL, RSDADAPT, RSDAREA, RSDAREAT, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDBCHATR, RSDCHA, RSDCHABAS, RSDCUBE, RSDCUBEIOBJ, RSDCUBEMULTI, RSDCUBET,

Authorizations field	Values
	RSDDIME, RSDDIMET, RSDDPA, RSDFDMOD, RSDFDMODT, RSDICHAPRO, RSDICMULTIOBJ, RSDICVALIOBJ, RSDIKYFPRO, RSDIOBC, RSDIOBCIOBJ, RSDIOBCT, RSDIOBJ, RSDIOBJCMP, RSDIOBJT, RSDIPROIOBJT, RSDIPROV_MAPPING, RSDKYF, RSDODSO, RSDODSOATRNAV, RSDODSOINDX, RSDODSOIOBJ, RSDODSOIOBJIND, RSDODSOIOBJPRO, RSDODSOLOC, RSDODSOT, RSDS, RSDSACCESSATTR, RSDSACCESSTYPEST, RSDSEXTOBJ, RSDSSEGF, RSDSSEGFDT, RSDSSEGT, RSDST, RSDSTS, RSDTIM, RSDUNI, RSDVCHA, RSDVTIM, RSDVUNI, RSECBAU, RSECBAUPROP, RSECHIE, RSECHIE_STRING, RSECTXT, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPCMP, RSFBPFIELD, RSFBPFIELDT, RSFBPNAVATR, RSFBPSEMANTICS, RSFBPSOURCE, RSFBPSRCTYPEDEFT, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSISFIELD, RSISOSMAP, RSIST, RSKSFIELDNEW, RSKSFIELDNEWT, RSKSNEW, RSKSNEWT, RSLDPIO, RSLDPLOT, RSLDPRULE, RSLDPSEL, RSLOGSYSODP, RSLPO, RSLPOCOMPTEXT, RSLPOPATRANGE, RSLPOT, RSLTIP, RSLTIPT, RSMDATASTATE, RSNSPACE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPRT, RSOLTPSOURCE, RSOLTPSOURCEFIE, RSOLTPSOURCEFIET, RSOLTPSOURCECT, RSOOBJXREF, RSOSEGR, RSOSEGR_MEMBER, RSOSEGR, RSOSFIELDMAP, RSOTLOGHISTORY, RSPCCHAIN, RSPCCHAINATTR, RSPCCHAINT, RSPCLOGCHAIN, RSPCTRIGGER, RSPCVARIANT, RSPCVARIANTT, RSPLF_SRV, RSPLF_SRV_COND, RSPLF_SRV_CU, RSPLF_SRV_P, RSPLF_SRV_PS, RSPLF_SRV, RSPLF_SRVTYPE, RSPLF_SRVTYPE, RSPLS_ALVL, RSPLS_ALVL_IOBJ, RSPLS_ALVLT, RSPLS_CR_PROP, RSPLS_CR_RANGE, RSPLS_CR_ROLE, RSPLS_CR_STEPS, RSPLS_DS, RSPLS_DS_FIELD, RSPLS_DS_RANGE, RSPLS_DST, RSPLS_SEQUENCE, RSPLS_SEQUENCE_S, RSPLS_SEQUENCECT, RSPROCESSTYPES, RSPROCESSTYPEST, RSPSPACE, RSQFOBJ, RSQFOBJT, RSQISET, RSQISETT, RSQTOBJ, RSRRENDERERV, RSRREPDIT, RSRWBINDEX, RSRWBINDEXT, RSRWORKBOOK, RSSDBATCH, RSTRAN, RSTRANFIELD, RSTRANFIELDPROP, RSTRANGROUP, RSTRANROUTMAP, RSTRANRULE, RSTRANRULESTEP, RSTRANRULET, RSTRANSCRIPT, RSTRANSTEPADSO, RSTRANSTEPCNST, RSTRANSTEPIOBJ, RSTRANSTEPMAP, RSTRANSTEPMASTER, RSTRANSTEPODSO, RSTRANSTEPROUT, RSTRANSTEPUNIT, RSTRANT, RSTS, RSTSODS, RSTRULES, RSUOMTXT, RSUPDDAT, RSUPDINFO, RSUPDKEY, RSUPDROUT, RSZCALC, RSZCOMPDIR, RSZCOMPIC, RSZELTDIR, RSZELTTPROP, RSZELTTXT, RSZELTXREF, RSZGLOBV, RSZRANGE, RSZSELECT, RSZWBITEMHEAD, RSZWBITEMHEADTXT, RSZWBITEMPHEAD, RSZWBITEMPHEADTXT, RSZWBITEMPXREF, RSZWOBXTXT, RSZWOBXJREF, RSZWTEMPLATE, RSZWTEMPLATEDATA, RSZWVIEW, SEOCCLASS, SEOCCLASSDF, SEOCCLASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, SEOREDEF, SMIMLOIO, SVERS, T002, T002C, T002T, T002TX, T002XT, T006, T006A, TADIR, TBTCO, TBTCP, TCURC, TCURR, TCURT, TCURV, TCURW, TDDAT, TFDIR, TFTIT, TLIBG, TMDIR, TOBCT, TOBJ, TOBJT, TRDIR, TRDIRT, USER_ADDRP, USR01, USR21, V_COMPDIR_COMPIC, V_COMPDIR_ELTDIT, V_ELTDIT_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WDY_APP_PROP_DEF, WDY_APP_PROP_DFT, WDY_APP_PROPERTY, WDY_APPLICATION, WDY_APPLICATIONT, WDY_CHIP_DEF, WDY_CHIP_DEFT, WDY_CHIP_PARAM, WDY_CHIP_PARAMT, WDY_CHIP_PORT, WDY_CHIP_PORTT, WDY_CHIP_TAG, WDY_COMPO_USAGE, WDY_COMPONENT, WDY_COMPONENTT, WDY_CONFIG_DATA, WDY_CONFIG_DATT, WDY_CONTROLLER, WDY_CONTROLLERT, WDY_CTLR_COMPO, WDY_CTLR_COMPOT, WDY_CTLR_EXC, WDY_CTLR_EXCT, WDY_CTLR_PARAM, WDY_CTLR_PARAMT, WDY_CTLR_USAGE, WDY_CTX_ATTRIB, WDY_CTX_NODE, WDY_INTF_IMPLM, WDY_IOBOUND_PLGT, WDY_IOBOUND_PLUG, WDY_PLUG_PARAM, WDY_PLUG_PARAMT, WDY_VIEW

4.4 BC_C - Basis - Development Environment

 S_TRANSPRT - Transport Organizer [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
TTYE	*

4.5 RS - SAP BW/4HANA

 S_RS_DTP - Data Warehouse Modeling - Data Transfer Process [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSONDTPSRC	*
RSONDTPGT	*

Authorizations field	Values
RSSTDTPSRC	*
RSSTDPTGT	*
RSTLDTPSRC	*
RSTLDPTGT	*

 S_RS_TR - Data Warehouse Modeling - Transformation [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSOBNMSRC	*
RSOBNMTGT	*
RSSTTRSRC	*
RSSTRTGT	*
RSTLOGOSRC	*
RSTLOGOTGT	*