



PERFORMER SUITE

SAP BW Role – Documentation & Analysis

VERSION 22.2

SETTINGS VARIANT SCE ROLE DOCU

COMMENT VARIANT SCE ROLE COMMENTS

RESPONSIBLE PERSON ALEXANDER DÜRRSTEIN

CREATION DATE 20.09.2022

Role Z_ROLE_PS_DP_SYSC_BW, Client 001

Table of contents

1	Docu Performer General Settings	2
2	Comment: Z_ROLE_PS_DP_SYSC_BW/001 - Role for Docu Performer and System Scout in BW (PS)	2
2.1	Objective	2
3	General Information	2
4	Role menu	2
5	Authorization data	2
5.1	AAAB - Cross-application Authorization Objects	2
5.2	BC_A - Basis: Administration	3
5.3	RS - Business Warehouse	5

1 Docu Performer General Settings

Performer Suite Settings	
Settings Variant	SCE Role Docu
Comment Variant	SCE Role Comments
Word Template	20220318_EN_Performer_Suite_Scenario_Template.dotx

2 Comment: Z_ROLE_PS_DP_SYSC_BW/001 - Role for Docu Performer and System Scout in BW (PS)

2.1 Objective

The authorizations of this role are required to use all functions from the products **Docu Performer** and **System Scout** of the Performer Suite.

Keep in mind, the role must also have the correct Function Modules and Function Group authorizations (depending on your prefix used).

3 General Information

System	BI2
Role	Z_ROLE_PS_DP_SYSC_BW/001, Role for Docu Performer and System Scout in BW (PS)
Derived from Role	-
Related Single Roles	-
Profile name	T-B2940006
Profile text	Profile for role Z_ROLE_PS_DP_SYSC_BW
Status	Current version not generated
Last changed by	MHARING
Last change (timestamp)	02/09/2022 13:22:03
Timestamp of documentation	15/09/2022 14:53:50

4 Role menu

The role has no menu.

5 Authorization data

5.1 AAAB - Cross-application Authorization Objects

 S_RFC - Authorization Check for RFC Access [T-B294000600]

Authorizations field	Values
ACTVT	16 Execute
RFC_NAME	/SDF/HANA_TABLE_SIZE, AUTHORITY_CHECK, BAPI_CUBE_GETDETAIL, BAPI_IOBC_GETDETAIL, BAPI_IOBC_GETLIST, BAPI_IOBJ_GETDETAIL, BAPI_IOBJ_GETLIST, BAPI_IPAK_GETDETAIL, BAPI_IPAK_GETLIST, BAPI_ISET_GETDETAIL, BAPI_ISOURCE_TD_GETDETAIL, BAPI_MPRO_GETDETAIL, BAPI_ODSO_GETDETAIL, BAPI_ODSO_GETLIST, BDL_GET_GREENWICH_TIME, BDL5, BX_AGR_READ_ALL_NODES, DDIF_FIELDINFO_GET, EM_GET_NUMBER_OF_ENTRIES, FUNCTION_EXISTS, FUNCTION_IMPORT_INTERFACE, GET_TABLE_INFO_ORA, ME_GET_CURRENT_USER_ID, MSS_GET_TABLE_SIZE_INFO, RFC_GET_FUNCTION_INTERFACE, RFC_GET_NAMETAB, RFC_GET_SYSTEM_INFO, RFC_READ_TABLE, RFC_SYSTEM_INFO, RFC1, RFCPING, RPY_INCLUDE_UPDATE, RPY_PROGRAM_READ, RS_VARIANT_CONTENTS_RFC, RSAB, RSDG_HYBR_GETDETAIL, RSDI_IOBJ_INFO_GET, RSOBJS_GET_NODES_X, RSPC_API_PROCESS_GET_INFO, RSPC_RUNTIME_ANALYSIS,

Authorizations field	Values
	RSPLS_ALVL_GETDETAIL, RSPLSIP_INFOPROV_GETDETAIL, RSSEM_WEBTEMPLATE_INFO_GET, RSZ_SEM_QUERY_TEXT_GET, RSZ_X_COMPONENT_GET, RSZ_X_INFO_OBJECTS_GET, RSZ_X_QUERY_CHECK, RSZ_X_QUERY_GET, RSZ_X_WHERE_USED_LIST_GET, SDFRUNTIME, SDTX, SYST, USER_NAME_GET, <the name you have given to the function group>, <Used prefix for Function Modules>Z_RFC_ADSO_GETDTL_XML, <Used prefix for Function Modules>Z_RFC_AUTH_CHECK, <Used prefix for Function Modules>Z_RFC_CODESCAN, <Used prefix for Function Modules>Z_RFC_ENTITY_SYNC, <Used prefix for Function Modules>Z_RFC_GET_DTP_DETAILS, <Used prefix for Function Modules>Z_RFC_GET_STRING, <Used prefix for Function Modules>Z_RFC_READ_REPORT, <Used prefix for Function Modules>Z_RFC_USAGE_ANALYSIS
RFC_TYPE	FUGR, FUNC

5.2 BC_A - Basis: Administration

 S_TABU_DIS - Table Maintenance (using standard tools such as SM30) [T-B294000600]

Authorizations field	Values
ACTVT	03
DICBERCLS	ACM_USED_AUT_O, ADRP, AGR_1016, AGR_1250, AGR_1251, AGR_1252, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD03ND, DD04T, DD07T, DD08B, DD09L, DD10B, DD25L, DD26S, DD27S, DD28S, DDDDLSRC, DDDDLSRC02BT, DDDDLSRCT, DDFIELDANNO, DDLDEPENDENCY, DDPARAMETERANN, DEVACCESS, DOKTL, E070, E070V, E071, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, ROOSOURCE, RS2HANA_V_STAT, RSAABAP, RSANT_PROCESS, RSANT_PROCESSI, RSANT_PROCESST, RSAOOBJ, RSAOOBJT, RSAOOBJXREF, RSAPPL, RSAPPLT, RSAROUTT, RSBASIDOC, RSBATCPARALLE, RSBDTAB, RSBFIE, RSBKDTP, RSBKDTPSTAT, RSBKDTPPT, RSBOHDEST, RSBOHDESTT, RSBOHDESTVAR, RSBOHFIELDS, RSBOHFIELDT, RSBPOKE, RSBPOKEFIELDS, RSBPOKESELSSET, RSBPOKET, RSCOMPTLOGOT, RSCURTRT, RSCURTXT, RSDADAP, RSDADAPDOK, RSDADAPLOC, RSDADAPSEL, RSDADAPT, RSDAREA, RSDAREAT, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDCHATR, RSDCHATRXLL, RSDCHA, RSDCHABAS, RSDCUBE, RSDCUBEIOBJ, RSDCUBEMULTI, RSDCUBET, RSDDIME, RSDDIMET, RSDDDPA, RSDDDSTAT_OLAP, RSDFDMOD, RSDFDMODT, RSDICHAPRO, RSDICMULTIOBJ, RSDICVALIOBJ, RSDIKYFPRO, RSDIOBC, RSDIOBCIOBJ, RSDIOBCT, RSDIOBJ, RSDIOBJCMP, RSDIOBJT, RSDIPROIOBJT, RSDIPROV_MAPPI, RSDKYF, RSDODSO, RSDODSOATRNAV, RSDODSOINDX, RSDODSOIOBJ, RSDODSOIOBJIND, RSDODSOIOBJPRO, RSDODSOLOC, RSDODSOT, RSDS, RSDSACCESSATTR, RSDSACCESSTYPE, RSDSEXTOBJ, RSDSSEGF, RSDSSEGFDT, RSDSSEGT, RSDST, RSDSTS, RSDTIM, RSDUNI, RSDVCHA, RSDVTIM, RSDVUNI, RSECBAU, RSECBAUPROP, RSECHE, RSECHE_STRING, RSECTXT, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPFIELD, RSFBPNAVATRT, RSFBPSOURCE, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSISFIELD, RSISOSMAP, RSIST, RSKSFIELDNEW, RSKSFIELDNEWT, RSKSNEW, RSKSNEW, RSLDPIO, RSLDPIOT, RSLDPRULE, RSLDPSEL, RSLPO, RSLPOCOMPTXT, RSLPOPATRANG, RSLPOT, RSLTIP, RSLTIPT, RSMDATASTATE, RSNSPACE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPRT, RSOLTPSOURCE, RSOLTPSOURCEFI, RSOLTPSOURCET, RSOOBJXREF, RSOSEGR, RSOSFIELDMAP, RSOTLOGOHISTOR, RSPCCHAIN, RSPCCHAINATTR, RSPCCHINT, RSPCLOGCHAIN, RSPCTRIGGER, RSPCVARIANT, RSPCVARIANTT, RSPLF_SRV, RSPLF_SRV_COND, RSPLF_SRV_CU, RSPLF_SRV_P, RSPLF_SRV_PS, RSPLF_SRV_T, RSPLF_SRVTYPE, RSPLF_SRVTYPEP, RSPLS_ALVL, RSPLS_ALVL_IOB, RSPLS_ALVLT, RSPLS_CR_PROP, RSPLS_CR_RANGE, RSPLS_CR_ROLE, RSPLS_CR_STEPS, RSPLS_DS, RSPLS_DS_FIELD, RSPLS_DS_RANGE, RSPLS_DST, RSPLS_SEQUENCE, RSPMREQUEST, RSPROCESSTYPES, RSPSPACE, RSQFOBJ, RSQFOBJT, RSQISET, RSQISETT, RSQTOBJ, RSREQDONE, RSRRENDERERV, RSRREPDIR, RSRWBINDEX, RSRWBINDEXT, RSRWORKBOOK, RSSDBATCH, RSTRAN, RSTRANFIELD, RSTRANFIELDPRO, RSTRANGROUP, RSTRANROUTMAP, RSTRANRULE, RSTRANRULESTEP, RSTRANRULET, RSTRANSTEPADSO, RSTRANSTEPCONST, RSTRANSTEPMAP, RSTRANSTEPMAST, RSTRANSTEPPODSO, RSTRANSTEPROUT, RSTRANSTEPSCRI, RSTRANSTEPUNIT, RSTRANT, RSTS, RSTSODS, RSTRULES, RSUOMTXT, RSUPDDAT, RSUPDINFO, RSUPDKEY, RSUPDROUT, RSZCALC, RSZCOMPDIR, RSZCOMPIC, RSZELTDIR, RSZELTPROP, RSZELTTXT, RSZELTXREF, RSZGLOBV, RSZRANGE, RSZSELECT, RSZWBITMHEADTX, RSZWBITMPHEAD, RSZWBITMPHEADTX, RSZWBITMPXREF, RSZWOBJTXX,

Authorizations field	Values
	RSZWOBXJREF, RSZWTEMPLATE, RSZWTEMPLATEDA, RSZWVIEW, SEOCCLASS, SEOCCLASSDF, SEOCCLASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, SEOREDEF, SEOSUBCODF, SEOSUBCOTX, SMIMLOIO, SVERS, T002, T002C, T002T, T002TX, T002XT, T006, T006A, TADIR, TBTCO, TBTCP, TCURC, TCURR, TCURT, TCURV, TCURW, TDDAT, TFDIR, TFTIT, TLBIG, TMCEXCFS, TMDIR, TOBCT, TOBJ, TOBJT, TRDIR, TRDIRT, UCF001C, UCF001G, UCF001T, UCF0021, UCF005T, UCF2110, UCF211T, UCF220C, UCF220T, UCF221T, UCF222T, UCF223T, UCF224C, UCF224T, UCF700T, UCF7100, UCF7300, UCF7400, UCF7410, UCF7500, UCFE01C, UCFE01T, UCFT000, UCFT001, UCFT002, UCFV000, UCM003C, UCM003T, UCS000T, UCS0100, UCS0101, UCS0104, UCS0105, UCS0106, UCS0107, UCS0108, UCS0109, UCS010C, UCS010S, UCS010T, UCS01A0, UCS01A2, UCT2010, UCT3000, UCT4000, UGMD2006, UGMD300C, UGMD300T, UJ0_PLAN, URL_EXTXT, USER_ADDRP, USR01, USR21, V_CMP_JOIN, V_COMPDIR_COMP, V_COMPDIR_ELTD, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WDY_APP_PROP_D, WDY_APP_PROPER, WDY_APPLICATION, WDY_CHIP_DEF, WDY_CHIP_DEFT, WDY_CHIP_PARAM, WDY_CHIP_PORT, WDY_CHIP_PORTT, WDY_CHIP_TAG, WDY_COMPO_USAG, WDY_COMPONENT, WDY_COMPONENTT, WDY_CONFIG_DAT, WDY_CONTROLLER, WDY_CTLR_COMPO, WDY_CTLR_EXC, WDY_CTLR_EXCT, WDY_CTLR_PARAM, WDY_CTLR_USAGE, WDY_CTX_ATTRIB, WDY_CTX_NODE, WDY_INTF_IMPLE, WDY_IOBOUND_PL, WDY_PLUG_PARAM, WDY_VIEW, Customer-Specific Tables

 S_TABU_NAM - Table Access by Generic Standard Tools [T-B294000600]

Authorizations field	Values
ACTVT	03
TABLE	ACM_USED_AUT_OBJ, ACMDCLSRC, ACMDCLSRCT, ADRP, AGR_1016, AGR_1250, AGR_1251, AGR_1252, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD03ND, DD03T, DD04T, DD07T, DD08B, DD09L, DD10B, DD25L, DD26S, DD27M, DD27S, DD28S, DDDDLSRC, DDDDLSRC02BT, DDDDLSRCT, DDFIELDANNO, DDLDEPENDENCY, DDPARAMETERANNO, DEVACCESS, DOKTL, E070, E070V, E071, E07T, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, ROOSOURCE, RS2HANA_V_STAT, RSAABAP, RSANT_PROCESS, RSANT_PROCESSI, RSANT_PROCESST, RSAOOBJ, RSAOOBJT, RSAOOBJXREF, RSAPPL, RSAPPLT, RSAROUTT, RSBASIDOC, RSBATCHPARALLEL, RSBDBTAB, RSDVUNI, RSBKDT, RSBKDTSTAT, RSBKDTPT, RSBHDEST, RSBHDESTT, RSBHDESTVAR, RSBHFIELD, RSBHFIELDST, RSBSPKE, RSBSPKEFIELDS, RSBSPKESELSET, RSBSPKET, RSCOMPTLOGOT, RSCURTRT, RSCURTXT, RSDADAP, RSDADAPDOK, RSDADAPLOC, RSDADAPSEL, RSDADAPT, RSDAREA, RSDAREAT, RSDAREAV, RSDATRNAV, RSDATRNAV, RSDBCHATR, RSDBCHATRXL, RSDCHA, RSDCHABAS, RSDCUBE, RSDCUBEIOBJ, RSDCUBEMULTI, RSDCUBET, RSDDIME, RSDDIMET, RSDDDPA, RSDDSTAT_OLAP, RSDFDMOD, RSDFDMODT, RSDICHAPRO, RSDICMULTIOBJ, RSDICVALIOBJ, RSDIKYFPRO, RSDIOBC, RSDIOBCIOBJ, RSDIOBCT, RSDIOBJ, RSDIOBJCMP, RSDIOBJT, RSDIPROIOBJT, RSDIPROV_MAPPING, RSDKYF, RSDODSO, RSDODSOATRNAV, RSDODSOINDX, RSDODSOIOBJ, RSDODSOIOBJIND, RSDODSOIOBJPRO, RSDODSOLOC, RSDODSOT, RSDS, RSDSACCESSATTR, RSDSACCESSSTYPEST, RSDSEXTOBJ, RSDSSEGF, RSDSSEGFDT, RSDSEGT, RSDST, RSDSTS, RSDTIM, RSDUNI, RSDVCHA, RSDVTIM, RSECBIAU, RSECBIAUPROP, RSECHIE, RSECHIE_STRING, RSECTXT, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPCMP, RSFBPFIELD, RSFBPFIELDT, RSFBPNAVATR, RSFBPNAVATR, RSFBPSEMANTICS, RSFBPSOURCE, RSFBPSRCTYPEDEFT, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSISFIELD, RSISOSMAP, RSIST, RSKSFIELDNEW, RSKSFIELDNEWT, RSKSNEW, RSKSNEWT, RSLDPIO, RSLDPIOT, RSLDPRULE, RSLDPSEL, RSLOGSYSODP, RSLPO, RSLPOCOMPTXT, RSLPOPAPRANGE, RSLPOT, RSLTIP, RSLTIPT, RSMDATASTATE, RSNSPACE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPR, RSOLTPSOURCE, RSOLTPSOURCEFIE, RSOLTPSOURCEFIET, RSOLTPSOURCE, RSOBJXREF, RSOSEGR, RSOSEGR_MEMBER, RSOSEGR, RSOSFIELDMAP, RSOTLOGOHISTORY, RSPCCHAIN, RSPCCHAINATTR, RSPCCHAIN, RSPCLOGCHAIN, RSPCTRIGGER, RSPCVARIANT, RSPCVARIANTT, RSPLF_SRV, RSPLF_SRV_COND, RSPLF_SRV_CU, RSPLF_SRV_P, RSPLF_SRV_PS, RSPLF_SRV, RSPLF_SRVTYPE, RSPLF_SRVTYPE, RSPLS_ALVL, RSPLS_ALVL_IOBJ, RSPLS_ALVLT, RSPLS_CR_PROP, RSPLS_CR_RANGE, RSPLS_CR_ROLE, RSPLS_CR_STEPS, RSPLS_DS, RSPLS_DS_FIELD, RSPLS_DS_RANGE, RSPLS_DST, RSPLS_SEQUENCE, RSPLS_SEQUENCE_S, RSPLS_SEQUENCE, RSPMREQUEST, RSPROCESSTYPES, RSPROCESSTYPEST, RSPSPACE, RSQFOBJ, RSQFOBJT, RSQISET, RSQISETT, RSQTOBJ, RSREQDONE, RSRRENDERERV, RSRREPDIT, RSRWBINDEX, RSRWBINDEX, RSRWORKBOOK, RSSDBATCH, RSTRAN, RSTRANFIELD, RSTRANFIELDPROP, RSTRANGROUP, RSTRANROUTMAP, RSTRANRULE, RSTRANRULESTEP, RSTRANRULET, RSTRANSCRIPT, RSTRANSTEPADSO, RSTRANSTEPCONST, RSTRANSTEPIOBJ, RSTRANSTEPMAP, RSTRANSTEPMASTER, RSTRANSTEPPODSO, RSTRANSTEPROUT, RSTRANSTEPSCRIPT, RSTRANSTEPUNIT,

Authorizations field	Values
	RSTRANT, RSTS, RSTSODS, RSTSRULES, RSUOMTXT, RSUPDDAT, RSUPDINFO, RSUPDKEY, RSUPDROUT, RSZCALC, RSZCOMPDIR, RSZCOMPIC, RSZELTDIR, RSZELTPROP, RSZELTTXT, RSZELTXREF, RSZGLOBV, RSZRANGE, RSZSELECT, RSZWBITMHEADTXT, RSZWBTMPHEAD, RSZWBTMPHEADTXT, RSZWBTMPXREF, RSZWBJTXT, RSZWBJXREF, RSZWTEMPLATE, RSZWTEMPLATEDATA, RSZWVIEW, SEOCCLASS, SEOCCLASSDF, SEOCASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, SEOREDEF, SEOSUBCODF, SEOSUBCOTX, SMIMLOIO, SVERS, T002, T002C, T002T, T002TX, T002XT, T006, T006A, TADIR, TBTCO, TBTCP, TCURC, TCURR, TCURT, TCURV, TCURW, TDDAT, TFDIR, TFTIT, TLIBG, TMCEXCFS, TMDIR, TOBCT, TOBJ, TOBJT, TRDIR, TRDIRT, UJO_PLAN, USER_ADDRP, USR01, USR21, V_CMP_JOIN, V_COMPDIR_COMPIC, V_COMPDIR_ELTDIR, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WDY_APP_PROP_DEF, WDY_APP_PROP_DFT, WDY_APP_PROPERTY, WDY_APPLICATION, WDY_APPLICATIONT, WDY_CHIP_DEF, WDY_CHIP_DEFT, WDY_CHIP_PARAM, WDY_CHIP_PARAMT, WDY_CHIP_PORT, WDY_CHIP_PORTT, WDY_CHIP_TAG, WDY_COMPO_USAGE, WDY_COMPONENT, WDY_COMPONENTT, WDY_CONFIG_DATA, WDY_CONFIG_DATT, WDY_CONTROLLER, WDY_CONTROLLERT, WDY_CTLR_COMPO, WDY_CTLR_COMPOT, WDY_CTLR_EXC, WDY_CTLR_EXCT, WDY_CTLR_PARAM, WDY_CTLR_PARAMT, WDY_CTLR_USAGE, WDY_CTX_ATTRIB, WDY_CTX_NODE, WDY_INTF_IMPLM, WDY_IOBOUND_PLGT, WDY_IOBOUND_PLUG, WDY_PLUG_PARAM, WDY_PLUG_PARAMT, WDY_VIEW, Customer-Specific Tables

 S_USER_AGR - Authorizations: Role Check [T-B294000600]

Authorizations field	Values
ACT_GROUP	*
ACTVT	03

5.3 RS - Business Warehouse

 S_RS_DTP - Data Warehousing Workbench - Data Transfer Process [T-B294000600]

Authorizations field	Values
ACTVT	*
RSONDTPSRC	*
RSONDTPTGT	*
RSSTDTPSRC	*
RSSTDPTGT	*
RSTLDTPSRC	*
RSTLDPTGT	*

 S_RS_HYBR - Data Warehousing Workbench - HybridProvider [T-B294000600]

Authorizations field	Values
ACTVT	03
RSHYBROBJ	DEFINITION
RSHYBRPROV	*

 S_RS_ICUBE - Data Warehousing Workbench - InfoCube [T-B294000600]

Authorizations field	Values
ACTVT	*
RSICUBE OBJ	*
RSINFOAREA	*
RSINFOCUBE	*

 S_RS_IOBJ - Data Warehousing Workbench - InfoObject (InfoObject Catalog) [T-B294000600]

Authorizations field	Values
ACTVT	*
RSIOBJ	*
RSIOBJCAT	*
RSIOBJPART	*

 S_RS_MPRO - Data Warehousing Workbench - MultiProvider [T-B294000600]

Authorizations field	Values
ACTVT	03
RSINFOAREA	*
RSMPRO	*
RSMPROOBJ	DATA, DEFINITION, EXPORTDS

 S_RS_ODSO - Data Warehousing Workbench - DataStore Object [T-B294000600]

Authorizations field	Values
ACTVT	*
RSINFOAREA	*
RSODSOBJ	*
RSODSPART	*