



PERFORMER SUITE

SAP BW/4HANA Role – Documentation & Analysis

SCENARIO VERSION 24.2

SETTINGS VARIANT SCE ROLE DOCU

COMMENT VARIANT SCE ROLE COMMENTS

RESPONSIBLE PERSON ALEXANDER DÜRRSTEIN

CREATION DATE 27.02.2025

Role Z_ROLE_PS_DP_SYSC_BW4, Client 001

Table of contents

1	Docu Performer General Settings.....	2
2	Comment: Z_ROLE_PS_DP_SYSC_BW4/001 - Role for Docu Performer and System Scout in BW (PS) 2	
2.1	Objective	2
3	General Information	2
4	Role menu.....	2
5	Authorization data.....	2
5.1	AAAB - Cross-application Authorization Objects	2
5.2	BC_A - Basis: Administration	3
5.3	BC_C - Basis - Development Environment	5
5.4	RS - SAP BW/4HANA	5

1 Docu Performer General Settings

Performer Suite Settings	
Settings Variant	SCE Role Docu
Comment Variant	SCE Role Comments
Word Template	20220318_EN_Performer_Suite_Scenario_Template.dotx

2 Comment: Z_ROLE_PS_DP_SYSC_BW4/001 - Role for Docu Performer and System Scout in BW (PS)

2.1 Objective

The authorizations of this role are required to use all functions from the products **Docu Performer** and **System Scout** of the Performer Suite.

Keep in mind, the role must also have the correct Function Modules and Function Group authorizations (depending on your prefix used).

3 General Information

System	A4H
Role	Z_ROLE_PS_DP_SYSC_BW4/001, Role for Docu Performer and System Scout in BW (PS)
Derived from Role	-
Related Single Roles	-
Profile name	T-AH320006
Profile text	Profile for role Z_ROLE_PS_DP_SYSC_BW4
Status	Authorization profile is generated
Last changed by	ADUERRSTEIN
Last change (timestamp)	03/01/2025 14:46:01
Timestamp of documentation	27/02/2025 14:53:13

4 Role menu

The role has no menu.

5 Authorization data

5.1 AAAB - Cross-application Authorization Objects

 S_RFC - Authorization Check for RFC Access [T-AH32000600]

Authorizations field	Values
ACTVT	16 Execute
RFC_NAME	/SDF/HANA_TABLE_SIZE, AUTHORITY_CHECK, BAPI_IJOB_ACTIVATE_MULTIPLE, BAPI_IJOB_GETDETAIL, BAPI_IJOB_GETLIST, BDL_GET_GREENWICH_TIME, BDL5, BX_AGR_READ_ALL_NODES, DDIF_FIELDINFO_GET, EM_GET_NUMBER_OF_ENTRIES, FUNCTION_EXISTS, FUNCTION_IMPORT_INTERFACE, ME_GET_CURRENT_USER_ID, RFC_GET_FUNCTION_INTERFACE, RFC_GET_NAMETAB, RFC_GET_SYSTEM_INFO, RFC_READ_TABLE, RFC_SYSTEM_INFO, RFC1, RFCPING, RPY_INCLUDE_UPDATE, RPY_PROGRAM_READ, RS_VARIANT_CONTENTS_RFC, RSAB, RSNDI_IJOB_INFO_GET, RSOBJS_GET_NODES_X, RSPC_API_PROCESS_GET_INFO, RSPC_RUNTIME_ANALYSIS, RSPLS_ALVL_GETDETAIL, RSPLSIP_INFOPROV_GETDETAIL, RSZ_X_COMPONENT_GET, RSZ_X_INFO_OBJECTS_GET, RSZ_X_QUERY_CHECK, RSZ_X_QUERY_GET, RSZ_X_WHERE_USED_LIST_GET, SDIFRUNTIME, SDTX, SIFP, SYST, USER_NAME_GET,

Authorizations field	Values
	<the name you have given to the function group>, <Used prefix for Function Modules>RFC_ADSO_GETDTL_XML <Used prefix for Function Modules>RFC_AUTH_CHECK, <Used prefix for Function Modules>RFC_CODESCAN, <Used prefix for Function Modules>RFC_GET_DTP_DETAILS, <Used prefix for Function Modules>RFC_GET_STRING, <Used prefix for Function Modules>RFC_READ_REPORT, <Used prefix for Function Modules>RFC_USAGE_ANALYSIS
RFC_TYPE	FUGR, FUNC

5.2 BC_A - Basis: Administration

 S_TABU_DIS - Table Maintenance (using standard tools such as SM30) [T-AH32000600]

Authorizations field	Values
ACTVT	03 Show
DICBERCLS	ACM_USED_AUT_O, ADRP, AGR_1016, AGR_1250, AGR_1251, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD03ND, DD04T, DD07T, DD08B, DD09L, DD10B, DD25L, DD26S, DD27S, DD28S, DDDDLSRC, DDDDLSRC02BT, DDDDLSRCT, DDFIELDANNO, DDLDEPENDENCY, DDPARAMETERANN, DEVACCESS, DOKTL, E070, E070V, E071, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, ROOSOURCE, RS2HANA_V_STAT, RSAABAP, RSAOOBJ, RSAOOBJT, RSAOOBJXREF, RSAPPL, RSAPPLT, RSAROUTT, RSBASIDOC, RSATCHPARALLE, RSBDTAB, RSBFIL, RSBKDTP, RSBKDTPSTAT, RSBKDTPT, RSBOHDEST, RSBOHDESTT, RSBOHDESTVAR, RSBOHFIELDS, RSBOHFIELDST, RSBSPOKE, RSBSPOKEFIELDS, RSBSPOKESELSET, RSBSPOKET, RSCOMPTLOGOT, RSCURTRT, RSCURTXT, RSDADAP, RSDADAPDOK, RSDADAPLOC, RSDADAPSEL, RSDADAPT, RSDAREA, RSDAREAT, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDBCHATR, RSDCHA, RSDCHABAS, RSDDDPA, RSDSTAT_OLAP, RSDDFMOD, RSDDFMODT, RSDIOBJ, RSDIOBJCMP, RSDIOBJT, RSDIPROV, MAPPI, RSDKYF, RSDS, RSDSACCESSATTR, RSDSACCESSTYPE, RSDSEXTOBJ, RSDSSEGF, RSDSSEGFDT, RSDSSEGT, RSDST, RSDSTS, RSDTIM, RSDUNI, RSDVCHA, RSDVTIM, RSDVUNI, RSECBIAU, RSECBIAPROP, RSECHIE, RSECHIE_STRING, RSECTXT, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPFIELD, RSFBPNAVATRT, RSFBPSOURCE, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSIST, RSKSFIELDNEW, RSKSFIELDNEWT, RSKSNEW, RSKSNEWT, RSLGYSDB, RSNSPACE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPT, RSOLTPSOURCEFI, RSOBJXREF, RSOTLOGOHIHISTOR, RSPCCHAIN, RSPCCHAINATTR, RSPCCHAIN, RSPCLOGCHAIN, RSPCTRIGGER, RSPCVARIANT, RSPCVARIANTT, RSPLF_SRV, RSPLF_SRV_COND, RSPLF_SRV_CU, RSPLF_SRV_P, RSPLF_SRV_PS, RSPLF_SRVVT, RSPLF_SRVTYPE, RSPLF_SRVTYPEPET, RSPLS_ALVL, RSPLS_ALVL_JOB, RSPLS_ALVL, RSPLS_CR_PROP, RSPLS_CR_RANGE, RSPLS_CR_ROLE, RSPLS_CR_STEPS, RSPLS_DS, RSPLS_DS_FIELD, RSPLS_DS_RANGE, RSPLS_DST, RSPLS_SEQUENCE, RSPMREQUEST, RSPROCESSTYPES, RSPSPACE, RSREQDONE, RSRRENDERERV, RSRREPRDIR, RSSDBATCH, RSTRAN, RSTRANFIELD, RSTRANFIELDPRO, RSTRANGROUP, RSTRANROUTMAP, RSTRANRULE, RSTRANRULESTEP, RSTRANRULET, RSTRANSCRIPT, RSTRANSTEPADSO, RSTRANSTEPNCST, RSTRANSTEPMAP, RSTRANSTEPMAST, RSTRANSTEPPODSO, RSTRANSTEPROUT, RSTRANSTEPSCRI, RSTRANSTEPUNIT, RSTRANT, RSUOMTXX, RSZCALC, RSZCOMPDIR, RSZCOMPIC, RSZELTDIR, RSZELTTPROP, RSZELTXX, RSZELTXREF, RSZGLOBV, RSZRANGE, RSZSELECT, RSZWBITMHEADTX, RSZWBITMPHEADTX, RSZWTEMPLATEDA, SEOCCLASS, SEOCCLASSDF, SEOCCLASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, SEOREDEF, SEOSUBCODF, SEOSUBCOTX, SMIMLOIO, SVERS, T002, T002C, T002T, T002TX, T002XT, T006, T006A, TADIR, TBTCO, TBTCP, TCURR, TCURT, TCURV, TCURW, TDDAT, TFDIR, TFTIT, TLIBG, TMCEXCFS, TMDIR, TOBCT, TOBJ, TOBJT, TRDIR, TRDIRT, UCF001C, UCF001G, UCF001T, UCF0021, UCF005T, UCF2110, UCF211T, UCF220C, UCF220T, UCF221T, UCF222T, UCF223T, UCF224C, UCF224T, UCF700T, UCF7100, UCF7300, UCF7400, UCF7410, UCF7500, UCFE01C, UCFE01T, UCFT000, UCFT001, UCFT002, UCFV000, UCM003C, UCM003T, UCS000T, UCS0100, UCS0101, UCS0104, UCS0105, UCS0106, UCS0107, UCS0108, UCS0109, UCS010C, UCS010S, UCS010T, UCS01A0, UCS01A2, UCT2010, UCT3000, UCT4000, UGMD2006, UGMD300C, UGMD300T, URL_EXTXT, USER_ADDRP, USR01, USR21, V_CMP_JOIN, V_COMPDIR_COMP, V_COMPDIR_ELTD, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WDY_APP_PROP_D, WDY_APP_PROPER, WDY_APPLICATION, WDY_CHIP_DEF, WDY_CHIP_DEFT, WDY_CHIP_PARAM, WDY_CHIP_PORT, WDY_CHIP_PORTT, WDY_CHIP_TAG, WDY_COMPO_USAG, WDY_COMPONENT, WDY_COMPONENTT, WDY_CONFIG_DAT, WDY_CONTROLLER, WDY_CTRLR_COMPO, WDY_CTRLR_EXC, WDY_CTRLR_EXCT, WDY_CTRLR_PARAM, WDY_CTRLR_USAGE,

Authorizations field	Values
	WDY_CTX_ATTRIB, WDY_CTX_NODE, WDY_INTF_IMPL, WDY_IOBOUND_PL, WDY_PLUG_PARAM, WDY_VIEW, Customer-Specific Tables

 S_TABU_NAM - Table Access by Generic Standard Tools [T-AH32000600]

Authorizations field	Values
ACTVT	03 Show
TABLE	ACM_USED_AUT_O, ACMDCLSRC, ACMDCLSRCT, ADRP, AGR_1016, AGR_1250, AGR_1251, AGR_1252, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD03ND, DD03T, DD04T, DD07T, DD08B, DD09L, DD10B, DD25L, DD26S, DD27M, DD27S, DD28S, DDDDLSRC, DDDDLSRC02BT, DDDDLSRCT, DDFIELDANNO, DDLDEPENDENCY, DDPARAMETERANNO, DEVACCESS, DOKTL, E070, E070V, E071, E07T, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, ROOSOURCE, RS2HANA_V_STAT, RSAABAP, RSAOABJ, RSAOABJT, RSAOABJXREF, RSAPPL, RSAPPLT, RSAROUTT, RSBASIDOC, RSBATCHEPARALLEL, RSBDDBTAB, RSBBFILE, RSBKDTP, RSBKDTPSTAT, RSBKDTPPT, RSBOHDEST, RSBOHDESTT, RSBOHDESTVAR, RSBOHFIELDS, RSBOHFIELDDST, RSBSPOKE, RSBSPOKEFIELDS, RSBSPOKESELSET, RSBSPOKET, RSCOMPTLOGOT, RSCURTRT, RSCURTXT, RSDADAP, RSDADAPDOK, RSDADAPLOC, RSDADAPSEL, RSDADAPT, RSDAREA, RSDAREAT, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDBCHATR, RSDCHA, RSDCHABAS, RSDDDPA, RSDDDSTAT_OLAP, RSDDFMOD, RSDDFMODT, RSDIOBJ, RSDIOBJCMP, RSDIOBJT, RSDIPROV_MAPPING, RSDKYF, RSDS, RSDSACCESSATTR, RSDSACCESSTYPEST, RSDSEXTOBJ, RSDSSEGF, RSDSSEGFDT, RSDSSEGT, RSDST, RSDSTS, RSDTIM, RSDUNI, RSDVCHA, RSDVTIM, RSDVUNI, RSECBIAU, RSECBIAUPROP, RSECHIE, RSECHIE_STRING, RSECTXT, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPCMP, RSFBPFIELD, RSFBPFIELDT, RSFBPNAVATR, RSFBPNAVATRT, RSFBPSEMANTICS, RSFBPSOURCE, RSFBPSRCTYPEDEFT, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSIST, RSKSFIELDNW, RSKSFIELDNWT, RSKSNEW, RSKSNEWT, RSLOGSYSDB, RSLOGSYSODP, RSNSPACE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPRT, RSOLTPSOURCE, RSOOBXREF, RSOSEGR, RSOSEGR_MEMBER, RSOSEGRT, RSOTLOGOHISTORY, RSPCCHAIN, RSPCCHAINATTR, RSPCCHAINNT, RSPCLOGCHAIN, RSPCTRIGGER, RSPCVARIANT, RSPCVARIANTT, RSPLF_SRV, RSPLF_SRV_COND, RSPLF_SRV_CU, RSPLF_SRV_P, RSPLF_SRV_PS, RSPLF_SRVT, RSPLF_SRVTYP, RSPLF_SRVTYPET, RSPLS_ALVL, RSPLS_ALVL_IJOB, RSPLS_ALVLT, RSPLS_CR_PROP, RSPLS_CR_RANGE, RSPLS_CR_ROLE, RSPLS_CR_STEPS, RSPLS_DS, RSPLS_DS_FIELD, RSPLS_DS_RANGE, RSPLS_DST, RSPLS_SEQUENCE, RSPLS_SEQUENCE_S, RSPLS_SEQUENCET, RSPMREQUEST, RSPROCESSTYPES, RSPROCESSTYPEST, RSPSPACE, RSREQDONE, RSRENDERERV, RSREPDIR, RSSDBATCH, RSTRAN, RSTRANFIELD, RSTRANFIELDPROP, RSTRANGROUP, RSTRANROUTMAP, RSTRANRULE, RSTRANRULESTEP, RSTRANRULET, RSTRANSCRIPT, RSTRANSTEPADSO, RSTRANSTEPCNST, RSTRANSTEPJOB, RSTRANSTEPMAP, RSTRANSTEPMASTER, RSTRANSTEPADSO, RSTRANSTEPROUT, RSTRANSTEPSCRIPT, RSTRANSTEPUNIT, RSTRANT, RSUOMTX, RSZCALC, RSZCOMPDIR, RSZCOMPIC, RSZELTDIR, RSZELTPROP, RSZELTTXT, RSZELTXREF, RSZGLOBV, RSZRANGE, RSZSELECT, SEOCCLASS, SEOCCLASSDF, SEOCCLASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, SEOREDEF, SEOSUBCODF, SEOSUBCOTX, SMIMLOIO, SVERS, T002, T002C, T002T, T002TX, T002XT, T006, T006A, TADIR, TBTCO, TBTCP, TCURC, TCURR, TCURT, TCURV, TCURW, TDDAT, TFDIR, TFTIT, TLIBG, TMCEXCFS, TMDIR, TOBCT, TOBJ, TOBJT, TRDIR, TRDIRT, USER_ADDRP, USR01, USR21, V_CMP_JOIN, V_COMPDIR_COMPIC, V_COMPDIR_ELTDIR, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WDY_APP_PROP_DEF, WDY_APP_PROP_DFT, WDY_APP_PROPERTY, WDY_APPLICATION, WDY_APPLICATIONT, WDY_CHIP_DEF, WDY_CHIP_DEFT, WDY_CHIP_PARAM, WDY_CHIP_PARAMT, WDY_CHIP_PORT, WDY_CHIP_PORTT, WDY_CHIP_TAG, WDY_COMPO_USAGE, WDY_COMPONENT, WDY_COMPONENTT, WDY_CONFIG_DATA, WDY_CONFIG_DATT, WDY_CONTROLLER, WDY_CONTROLLERT, WDY_CTLR_COMPO, WDY_CTLR_COMPOT, WDY_CTLR_EXC, WDY_CTLR_EXCT, WDY_CTLR_PARAM, WDY_CTLR_PARAMT, WDY_CTLR_USAGE, WDY_CTX_ATTRIB, WDY_CTX_NODE, WDY_INTF_IMPL, WDY_IOBOUND_PLGT, WDY_IOBOUND_PLUG, WDY_PLUG_PARAM, WDY_PLUG_PARAMT, WDY_VIEW, Customer-Specific Tables

 S_USER_AGR - Authorizations: Role Check [T-AH32000600]

Authorizations field	Values
ACT_GROUP	*
ACTVT	03 Show

5.3 BC_C - Basis - Development Environment

 S_DEVELOP - ABAP Workbench [T-AH32000600]

Authorizations field	Values
ACTVT	03 Show
DEVCLASS	\$TMP, Y*, Z*
OBJNAME	Y*, Z*
OBJTYPE	PROG
P_GROUP	

5.4 RS - SAP BW/4HANA

 S_RS_ADSO - Data Warehouse Modeling - DataStore Object [T-AH32000600]

Authorizations field	Values
ACTVT	03 Show
RSINFOAREA	*
RSOADSONM	*
RSOADSOPAR	CHAVLREL, CONFIG, DAP, DATA, DATASLICE, DEFINITION, INBOUND

 S_RS_DTP - Data Warehouse Modeling - Data Transfer Process [T-AH32000600]

Authorizations field	Values
ACTVT	*
RSONDTPSRC	*
RSONDTPTGT	*
RSSTDTPSRC	*
RSSTDTPGT	*
RSTLDTPSRC	*
RSTLDTPGT	*

 S_RS_HCPR - Central CompositeProvider [T-AH32000600]

Authorizations field	Values
ACTVT	03 Show
RSHCPR	*
RSHCPROBJ	DATA, DEFINITION
RSINFOAREA	*

 S_RS_ODSV - Data Warehouse Modeling - Open ODS View [T-AH32000600]

Authorizations field	Values
ACTVT	03 Show
RSFBPNAME	*
RSFBPOBJ	DATA, DEFINITION
RSINFOAREA	*