




PERFORMER SUITE

SAP BW Role - Sync

SCENARIO VERSION 23.1

SETTINGS VARIANT SCE ROLE DOCU

COMMENT VARIANT SCE ROLE COMMENTS

RESPONSIBLE PERSON ALEXANDER DÜRRSTEIN

CREATION DATE 27.03.2023

Role Z_ROLE_PS_SYNC_BW, Client 001

Table of contents

1	Docu Performer General Settings	1
2	Comment: Z_ROLE_PS_SYNC_BW/001 - Role for SAP BW Synchronization (PS)	2
2.1	Objective	2
3	General Information	2
4	Role menu	2
5	Authorization data	2
5.1	AAAB - Cross-application Authorization Objects	2
5.2	BC_A - Basis: Administration	3

1 Docu Performer General Settings

Performer Suite Settings

Settings Variant	SCE Role Docu
Comment Variant	SCE Role Comments
Word Template	20220318_EN_Performer_Suite_Scenario_Template.dotx

2 Comment: Z_ROLE_PS_SYNC_BW/001 - Role for SAP BW Synchronization (PS)

2.1 Objective

The authorizations of this role are needed to synchronize meta data of your SAP BW system with the Performer Suite database.

Also, please create a new dedicated SAP-User which has this role to be able to synchronize with our **AutomationTool**.

Keep in mind, the role must also have the correct Function Modules and Function Group authorizations (depending on your prefix used).

3 General Information

System	BI2
Role	Z_ROLE_PS_SYNC_BW/001, Role for SAP BW Synchronization (PS)
Derived from Role	-
Related Single Roles	-
Profile name	T-B2940003
Profile text	Profile for role Z_ROLE_PS_SYNC_BW
Status	Authorization profile is generated
Last changed by	MHARING
Last change (timestamp)	22/03/2023 12:58:04
Timestamp of documentation	27/03/2023 16:40:38

4 Role menu

The role has no menu.

5 Authorization data

5.1 AAAB - Cross-application Authorization Objects

 S_RFC - Authorization Check for RFC Access [T-B294000300]

Authorizations field	Values
ACTVT	16 Execute
RFC_NAME	BDL_GET_GREENWICH_TIME, DDIF_FIELDINFO_GET, DDIF_NAMETAB_GET, RFC_GET_FUNCTION_INTERFACE, RFC_GET_NAMETAB, RFC_READ_TABLE, RFC_SYSTEM_INFO, RFCPING, SYSTEM_REMOTE_LOGIN, VIEW_AUTHORITY_CHECK, Z_RFC_ENTITY_SYNC, Z_RFC_GET_STRING
RFC_TYPE	FUNC

 S_TCODE - Transaction Code Check at Transaction Start [T-B294000300]

Authorizations field	Values
TCD	SE16

5.2 BC_A - Basis: Administration

 S_TABU_NAM - Table Access by Generic Standard Tools [T-B294000300]

Authorizations field	Values
ACTVT	03
TABLE	ACMDCLSRC, ACMDCLSRCT, AGR_1016, AGR_1250, AGR_1251, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD07T, DDDDLSRC, DDDDLSRC02BT, DDLDEPENDENCY, DEVACCESS, E070, E07T, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, RSAABAP, RSANT_PROCESS, RSANT_PROCESSI, RSANT_PROCESST, RSAOOBJ, RSAOOBJT, RSAOOBJXREF, RSAROUTT, RSBASIDOC, RSBKDTP, RSBKDTPPT, RSBHDEST, RSBHDESTT, RSBPOKE, RSBPOKEFIELDS, RSBPOKESELSET, RSBPOKET, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDBCHATR, RSDBCHATRXXL, RSDCUBE, RSDCUBEMULTI, RSDCUBET, RSDIOBC, RSDIOBCT, RSDIOBJ, RSDIOBJT, RSDIOBJV, RSDKYF, RSDODSO, RSDODSOT, RSDS, RSDST, RSDSTS, RSDVCHA, RSDVTIM, RSDVUNI, RSECBAU, RSECBAUPROP, RSECHIE, RSECHIE_STRING, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPSEMANTICS, RSFBPSOURCE, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSISFIELD, RSISOSMAP, RSIST, RSKSFIELDNEW, RSKSNEW, RSKSNEWT, RSLPO, RSLPOPARTRANGE, RSLPOT, RSLTIP, RSLTIPT, RSMDATASTATE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPRT, RSOLTPSOURCE, RSOLTPSOURCET, RSOSEGR, RSOSEGRT, RSPCCHAINATTR, RSPCCHAI, RSPCLOGCHAIN, RSPCVARIANT, RSPLF_SRV, RSPLF_SRV, RSPLS_ALVL, RSPLS_ALVL_IJOB, RSPLS_ALVLT, RSPLS_SEQUENCE, RSPLS_SEQUENCE_S, RSPLS_SEQUENCET, RSQFOBJ, RSQFOBJT, RSQISET, RSQISETT, RSQT OBJ, RSRRENDERERV, RSRWBINDEX, RSRWBINDEXT, RSTRAN, RSTRANSTEPROUT, RSTRANT, RSTS, RSTSODS, RSTSRULES, RSUPDDAT, RSUPDINFO, RSUPDKEY, RSUPDROUT, RSZCOMPDIR, RSZELTTXT, RSZGLOBV, RSZWBTMPHEAD, RSZWBTMPHEADT, RSZWOBJSXT, RSZWTEMPLATE, SEOCCLASS, SEOCCLASSDF, SEOCCLASSSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, T000, T002XT, TADIR, TADLST, TFDIR, TMDIR, TRDIR, TRDIRT, USER_ADDRP, V_CMP_JOIN, V_COMPDIR_COMPIC, V_COMPDIR_ELTDIR, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WBCROSSGT, WDY_COMPONENT, WDY_COMPONENTT